

VISIOSUN®

Design your world in striking parallel lines

DESIGN YOUR WORLD

DESCRIPTION

In response to the increasing demand for the highest possible transparency and neutrality in glass for architecturally interesting buildings and interior design projects, Saint-Gobain presents its latest design glass: VISIOSUN®.

By letting natural light flood in, whilst maintaining privacy, VISIOSUN® provides an interesting design element, helping you create dynamic features for your interior design and glazed façade projects.

VISIOSUN® features parallel lines that create a reeded glass effect. This directional pattern can be used in both vertical and horizontal orientation. Light refractions on the delicate looking structure create a surprising dynamic while flawless textures and tones capture the industrial flair of loft living.

ADVANTAGES

- VISIOSUN® provides privacy without sacrificing natural light.
- The textured glass diffuses and spreads light giving the impression of increased space in smaller areas.
- The stylish design provides a personalised and timeless effect in all environments.
- A relaxed, private and intimate atmosphere is created.
- VISIOSUN® is easy to keep clean and is low maintenance.

APPLICATION

Because of its extremely high colour neutrality and transparency, VISIOSUN® is ideal for making spaces both bright and private, with a vast creative scope.

Accentuated Interior glass design:

- Doors and partitions.
- Attractive visual protection in offices.
- Shower and bath screens.
- Filling element for doors and display cases.
- Design element in furniture such as shelves, tabletops and countertops.

External architecture:

- Subtle accents in canopies, parapets or façades.
- Suitable for the decoration of residential or commercial premises.



PROCESSING & HANDLING

Handling on production lines:

The patterned glass sheets must be handled with dry, clean gloves. In a case where this is not possible, make sure vacuum cups are silicone free and perfectly clean.

Cutting:

- Cut on the even flat side.
- Make sure the cut has no interruption.
 If necessary, reduce the cutting speed.
- If you experience problems with automatic breaking, ensure that the glass cut is positioned approximately 2cm from the breaking bar.

Tempering:

- Put the flat side in contact with the roller. If the design has lines, place the line perpendicular to the roller.
- Use the same technique as you would with float glass with the same colour/ thickness and increase the heating time for ca.10%.

Lamination:

For lamination guidelines please contact your technical support manager or your commercial contact.



For further processing and handling guidelines contact **uk.marketing@saint-gobain.com.**

PRODUCT RANGE

Thickness	Dimensions	Privacy level
4mm	3210 x 2000	
6mm	3210 x 2000	5
8mm	3300 x 2040	



VISIOSUN® horizontal





SAINT-GOBAIN GLASS

Weeland Road Eggborough East Riding of Yorkshire DN14 OFD UK

saint-gobain-glass.co.uk